

## Material Safety Data Sheet

According to Regulation No 1907/2006/EC - REACH, No. 453/2010 and No 1272/2008/EC - CLP

### Date of revision : 01/21/2015

Version No: 4.1 Replaced version No: 4.0

SECTION	Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	Black and white reversal film set, part B <sub>2</sub>	
	Other name or labeling of product:		
1.2	Relevant identified uses of the substance of Concentrate of bleaching bath for process	or mixture and uses advised against ing of black and white reversal film Fomapan R100	
1.3	Details of the supplier of the safety data sheet		
	Supplier : Downstream User (Producer Mixture)	FOMA BOHEMIA spol. s r.o.(Ltd.) J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111	
	E-mail address and phone number	ilona.spackova@foma.cz +420495733368	
1.4	Emergency telephone number (Czech)	Toxicologic institute (TIS) Na Bojišti 1, 128 21 Praha 2 Tel. 224919293, 224915402 (continuous telephone information service)	

SECTION 2	Hazards identification
2.1	Classification (according to Regulation No 1272/2008 – CLP)
	Aquatic Chronic 2: H411
	Classification (according to Directive No 1999/45/ES – (DPD)
	N;R51/53
	The most important adverse physicochemical, human health and environmental effects:
	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

2.2 Label elements (according to Regulation No 1272/2008/EC- CLP)				
Identification of product		Black and white reversal film set, part B <sub>2</sub>		
hazard pictogram		¥2		
signal word				
hazard statement(s) (H-, phrases)	H411	Toxic to aquatic life with long lasting effects.		
precautionary statement (P- phrases)	P273 P501	Avoid repase to the environment. Dispose of contents/container to collecting place for dangerous waste in accordance with national regulations.		
		Contain: Potassium permanganate		
		FOMA BOHEMIA spol. s r.o., J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111		

2.3	Other hazards
	The substance does not belong to the category of PBT, vPvB, SVHC

SECTION 3	Composit	Composition/information on ingredients						
3.2	Mixtures	Mixtures						
Folder name	Registration number	Index number	CAS number	ES number	Content % in the solution	Classification		
Potassium permanganate	Not available	025-002- 00-9	7722-64-7	231-760-3	< 2	Ox.Sol.2;H272 Acute Tox.4;H302 Skin Corr1B;H314 Aquatic Acute1; H400 Aquatic Chronic1; H410	O;R8 Xn;R22 N;R50/53	

Solution

(Full text R, H-phrases... section 16)

SECTION 4	First aid measures
4.1	Description of first aid measures
	Disabled person to lead from the contaminated area, bringing it into a state of peace and to facilitate breathing by loosening clothing, watch, and if necessary to maintain its vital functions. If you are experiencing symptoms of acute injury (shortness of breath, persistent cough, chest pain, nausea, impaired sensory perception, fainting, etc.), call a physician or transport the injured person to a doctor.
	After contact with skin: Wash affected area thoroughly with water.
	Eye Contact: Remove any contact lenses and eye as soon as possible wash with plenty water. If necessary, open up violence cramped eyelids. Avoid contamination not contaminated eye wash liquid Do not neutralize. Seek medical help.
	Exposure by inhalation: Remove patient to fresh air, lukewarm water rinse eyes, mouth and nasal cavity.

	Ingestion: Affected person calm, clear water rinse. Place to drink a glass (about 0.4 dl) of cold wa Do not induce vomiting. If affected persone vomit spontaneously, control to prevent inhalation vomit. Do not administer activated charcoal, and no neutralizing agent. Call a physician or trans the affected person to a doctor.	
4.2	Most important symptoms and effects, both acute and delayed	
	Not known	
4.3	Indication of any immediate medical attention and special treatment needed	
	In the workplace, running water and soap.	

SECTION 5	Firefighting measures
5.1	Extinguishing media
	The product (liquid solution) is not flammable. Extinguishing agents adapt burning nearby.
	Inappropriate extinguishing media: N.a.
5.2	Special hazards arising from the substance or mixture
	Potassium permanganate is substance supporting burning. The product- solution is incombustible.
5.3	Advice for firefighters: Breathing apparatus, workwear

SECTION 6	Accidental release measures
6.1	Personal precautions, protective equipment and emergency procedures
	Zoom out persons not participating in the elimination of consequences of the accident out of reach. Ventilate enclosed spaces. When removing the consequences of the accident using the prescribed personal protective equipment. When working on the disposal of the accident contained breathing apparatus and full protective suit. No smoking and treatment with an open fire.
6.2	Environmental precautions
	Do not allow substance to enter soil, sewage system, surface and groundwater.
6.3	Methods and material for containment and cleaning up
	Let soak it to inert absorption products. Rinse the affected area thoroughly with water. Small leak at least strongly dilute with water.
6.4	Reference to other sections
	See section 13

SECTION 7	Handling and storage
7.1	Precautions for safe handling While working to comply with basic requirements of safe work. Wear recommended personal protective equipment. Avoid contact with eyes. By manipulation prohibits eating, drinking and smoking, working with hot materials and open flame. Equipment must be equipped with means of extinguishing in enclosed areas, ventilation should be provided, either naturally or forced. Workplaces must be kept clean and escape routes must remain free.

7.2	Conditions for safe storage, including any incompatibilities	
	Store in original containers in a cool, dry and well ventilated place. Containers should be stored separately from food. The working solution prepare according to the instructions.	
7.3	Specific end use(s)	
	See in 1.2., Other uses – not available	

SECTION 8	Exposure controls/personal protection
8.1	Control parameters Government Regulation No 361/2007 Coll Conditions for health workers at work and occupational exposure limits in the air of workplaces and ways of measuring and evaluating. (Czech) <i>Mangan- its compouds as Mn</i> PEL 1 mg/m <sup>3</sup> NPK-P 2 mg/m <sup>3</sup> Substance is not listed in Notice. No.432/2003 Coll., Laying down limit values of biological exposure tests: not available
8.2	Exposure controls
	Individual protection measures, incl. protective equipment
	Technical measures: Working with a local source of suction and running water for the irrigation needs of the eyes, wash your hands or contaminated parts of the skin.
	Tightly closed containers and equipment, natural and mechanical ventilation. Do not allow product to the eyes, mouth, inhalation, skin contact. Do not eat, drink or smoke. Avoid contact with food substances and drinks. After work wash hands with soap and water. Alternatively, take off contaminated clothing.
	Respiratory protection: During normal handling is not required.
	Hand protection: During normal handling is not required.
	Eye protection: Safety glasses
	Skin protection: Workwear
	Environmental exposure: Provide preventing spill into waterways, soil and drainage.

SECTION 9	Physical and chemical properties	
9.1	Information on basic physical and chemical properties	
	Appearance	Light- violet liquid
	Odour	no
	рН	7-9
	Melting point/freezing point cca 0 ° C	
	Initial boiling point and boiling range	cca 100 ° C
	Flash point	Fireproof
	Evaporation rate	N.a.
	Flammability	Incombustible
	Upper/lower flammability or explosive limits	Irrelevant
	Vapour pressure	N.a

	Vapour density	N.a
	Oxidising properties	N.a
	Relative density	1.24-1.25 g/cm <sup>3</sup>
	Solubility – watter	Solution
	Partition coefficient: n-octanol/water	Unknown
	Auto-ignition temperature	Irrelevant
	Decomposition temperature	N.a.
	Viscosity;	N.a.
	Explosive properties	No
9.2	Other information	
	Fat solubility	No
	Conductivity	N.a.

SECTION 10	Stability and reactivity
10.1	Reactivity
	Under normal conditions the product is stable
10.2	Chemical stability
	Under normal conditions the product is stable
10.3	Possibility of hazardous reactions
	N.a.
10.4	Conditions to avoid
	Light, intensive heating.
10.5	Incompatible materials
	Inorganic acids, peroxides, strong oxidation agents, alkali metals, flammable organic substances
10.6	Hazardous Decomposition Products
	Not available

SECTION 11	Toxicological informations		
11.1	Information on toxicologic	nformation on toxicological effects	
Acute toxic	ity	<i>Potassium permanganate:</i> LD <sub>50,</sub> oral, rat (mg.kg <sup>-1</sup> ). 1090	
Skin corros	ion/irritation	Based on available data, the criteria for this classification are not match up	
Serious eye damage/eye irritation		Based on available data, the criteria for this classification are not match up	
Respiratory or skin sensitisation		Based on available data, the criteria for this classification are not match up	

Germ cell mutagenicity	Based on available data, the criteria for this classification are not match up	
Carcinogenicity	Based on available data, the criteria for this classification are not match up	
Reproductive toxicity	Based on available data, the criteria for this classification are not match up	
Specific target organ toxicity — single exposure	Based on available data, the criteria for this classification are not match up	
Specific target organ toxicity — repeated exposure	Based on available data, the criteria for this classification are not match up	
Aspiration hazard	Based on available data, the criteria for this classification are not match up	
Likely routes of exposure and sympton	oms related to the physical, chemical and toxicological characteristics:	
Toxicity oral. (ingestion / swallowing)	:	
The product ( solution) is not dangerous.		
Toxicity inhal. (inhalation):		
The product ( solution) is not dangerous.		
Toxicity dermal.		
The product ( solution) is not dangerous.		
Eye Contact:		
Moderate irritation		
Immediate, delayed and chronic effects of short and long term exposure: N.a.		

SECTION	Ecological information
12.1	Toxicity
	Potassium permanganate: EC <sub>50</sub> (fish)/96hour: 0,1 mg/l EC <sub>50</sub> (daphnia)/48hour: 0,056 mg/l
12.2	Persistence and degradability
	Inorganic substances, irrelevant.
12.3	Bioaccumulative potential
	N.a.
12.4	Mobility in soil
	N.a., the product is soluble in water
12.5	Results of PBT and vPvB assessment
	Not available. Substance is not identified as a PBT or vPvB
12.6	Other adverse effects
	Toxic to aquatic life with long lasting effects.

SECTION	Disposal considerations	
13		
13.1	Waste treatment methods	
	Code and type of waste	09 01 05* – bleaching solutions and soutions of belaching fixers
		20 01 17*- Photochemicals
		15 01 10 * - packaging containing residues of hazardous substances
	The recommended method of disposal of the substance/ preparation:	
	The recommended method of disposal of contaminated product packaging:	
	Waste legislation	Directive No. 2008/98/ES

SECTION	Transport information
14	

# Land transport ADR/RID (cross- border):

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,N.O.S. ( POTASSIUM PERMANGANATE SOLUTION)
Transport hazard class(es)	9
Packing group	111
Labels	9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Tunel restriction: E
Remarks:	The product is carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less and is not subject to any other provisions of ADR provided packaging meet the general provisions of 4.1.1.1., 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ( according to chapter 3.3 ADR, special provisions 375)

## Maritime transport IMDG:

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,N.O.S. ( POTASSIUM PERMANGANATE SOLUTION)
IMDG class(es)	9
Packing group	111
EMS number	F-A, S-F
Segregation	Category A
Marine pollutant	Yes

Labels	9
Remarks:	The product is packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less and is not subject to any other provisions of IMDG Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. (according to Chapter 2.10, paragraph 2.10.2.7)

#### Air transport ICAO-TI and IATA-DGR:

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POTASSIUM PERMANGANATE SOLUTION)
ICAO/IATA class(es)	9
Packing group	
Labels	9 <b>(1)</b>
Packing instructions	Passenger aircraft – Packing instruction 964, max. net quantity per package 450 L
	Cargo aircraft - Packing instruction 964 max. net quantity per package 450 L
Remarks	The product is transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less and is not subject to any other provisions of the IATA Dangerous Goods Regulations provided and the packagings used meet defined standards. (according to part 4.4, Special provisions A197)
Environmental hazards	Product contains environmentally hazardous substances:

Environmental hazards	Product contains environmentally hazardous substances:
	(potassium permanganate)
Special precautions for user	Avoid release to the environment

SECTION 15	Regulatory information
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	Regulation (EC) No 1907/2006, registration, evaluation, autorisation, restriction chemicals (REACH) Regulation (EC) No 453/2010 Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures Direction No 67/548/EHS (DSD), 1999/45/ES (DPD) Act No. 350/2011 Coll. On chemical substances and mixtures Decree No. 381/2001 Coll. Establishing the Waste Catalogue. Government Regulation No. 361/2007 Coll. On the health conditions of workers at work
	European Agreement concerning the international carriage of dangerous goods (ADR) applicable as from 1. January 2015 IMDG Code,MSC 93/22/Add.2
	IATA Dangerous Goods Regulations, 56th Edition
15.2	Chemical safety assessment
The chemical safety assessment for the product was'n made.	

SECTION 16	
Abbreviations, symbols	
Ox.Sol.2	Oxidising Solids,Category 2
Acute Tox.4	Acute toxicity (oral), Category 4
SkinCorr1B	Skin caustic (burns) (Cat. 1B)
Aquatic Acute1	Hazardous to the aquatic environment – AcuteHazard, Category 1
Aquatic Chronic1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2
0	Oxidant
Xn	Harmful
Ν	Dangerous for the environment
CLP	Regulation (ES) č.1272/2008
DPD	Direction (ES) 1999/45/ES
РВТ	Persistent, bioaccumulation, toxic
vPvB	High persistent, high bioaccumulation
SVHC	Substance of very hight concerns
DNEL	Derivated No-Effect Level
PNEC	Prediction No-Effect Concentration

Materials used fo	or the processing of safety data sheet
	ed by the producter ata Sheets (MSDS) for chemical substances
R, H-phrases :	
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
R8	Contact with combustible material may cause fire
R22	Harmful if swallowed
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Workers coming into contact with hazardous chemicals or products must have access to data which are presented in this MSDS and be familiar with them clearly.

Person transporting hazardous chemicals and preparations must be familiar with guidelines for emergency response in accordance with regulations on hazardous goods within the meaning of ADR / RID.

The information contained in this MSDS are currently valid data and best practices for use and handling of this substance under normal conditions. Any other use or handling of this substance, which is not consistent with those of MSDS, excludes liability for defects, respectively damage, which would otherwise meet the producter, importer or retailer.

Revised safety data sheet

Revision: version 4.1 – changes in section 1.3 and 2.2– address of supplier, 14- changed information for maritine and air transport