

Material Safety Data Sheet

According to Regulation No 1907/2006/EC - REACH, No. 453/2010 and No 1272/2008/EC - CLP

Date of revision : 01/21/2015

Version No: 4.1 Replaced version No: 4.0

SECTION	Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	Black and white reversal film set, part C	
	Other name or labeling of product:		
1.2	Relevant identified uses of the substance o	r mixture and uses advised against	
	Concentrate of cleaning bath for processing	g of black and white reversal film Fomapan R100	
1.3	Details of the supplier of the safety data sheet		
	Supplier : Downstream User (Producer Mixture)	FOMA BOHEMIA spol. s r.o.(Ltd.) J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111	
	E-mail address and phone number	ilona.spackova@foma.cz +420495733368	
1.4	Emergency telephone number (Czech)	Toxicologic institute (TIS) Na Bojišti 1, 128 21 Praha 2 Tel. 224919293, 224915402 (continuous telephone information service)	

Hazards identification
Classification (according to Regulation No 1272/2008, 790/2009 – CLP) AcuteTox.4;H302
Eye Dam.1;H318
Classification (according to Directive No 1999/45/ES – (DPD)
Xn;R22, Xi;R41 R31
The most important adverse physicochemical, human health and environmental effects: Harmful is swallowed. Causes serious eye damage

2.2 La	bel elements (accord	ing to Regulation No 1272/2008/EC, 790/2009/EC – CLP)
Identification of product		Black and white reversal film set, part C
hazard pictogram		
signal word		Danger
hazard	H302	Harmful if swallowed
statement(s) (H-,	H318	Causes serious eye damage
phrases)	EUH031	Contact with acids liberates toxic gas.
precautionary	P102	Keep out of reach of chidren.
statement	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
(P- phrases)	P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
	P280	Wear eye protection/face protection.
	P501	Dispose of contents/container to collecting place for dangerous waste in accordance with national regulations.
		Contain: sodium pyrosulfite
		FOMA BOHEMIA spol. s r.o., J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111

2.3	Other hazards
	The substance does not belong to the category of PBT, vPvB, SVHC

SECTION 3	Composition/information on ingredients							
3.2	Mixture	Mixtures						
Folder name		Registration number	Index number	CAS number	ES number	Content % in the solution	Classifica	tion
socium pyrosume		01- 211953132 6-45-0000	016- 063-00- 2	7681-57- 4	231-673-0	< 40	Acute Tox.4;H302 Eye Dam.1;H318	Xn;R22 Xi;R41 R31

(Full text R, H-phrases... section 16)

SECTION 4	First aid measures
4.1	Description of first aid measures

	Disabled person to lead from the contaminated area, bringing it into a state of peace and to facilitate
	breathing by loosening clothing, watch, and if necessary to maintain its vital functions. If you are experiencing symptoms of acute injury (shortness of breath, persistent cough, chest pain, nausea, impaired sensory perception, fainting, etc.), call a physician or transport the injured person to a doctor.
	After contact with skin:Wash affected area thoroughly with water.
	Eye Contact: Remove any contact lenses and eye as soon as possible wash with plenty water. If necessary, open up violence cramped eyelids. Avoid contamination not contaminated eye wash liquid Do not neutralize. Seek medical help.
	Exposure by inhalation: Remove patient to fresh air, warm water rinse eyes, mouth and nasal cavity.
	Ingestion: Affected person calm, clear water rinse. Place to drink a glass (about 0.4 dl) of cold water. Do not induce vomiting. If affected persone vomit spontaneously, control to prevent inhalation of vomit. Do not administer activated charcoal, and no neutralizing agent. Call a physician or transport the affected person to a doctor.
4.2	Most important symptoms and effects, both acute and delayed
	Exposure by inhalation: coul, breathlessness, sore throat
	Eye Contact: ache in eye
	Ingestion:nausea, vomiting
4.3	Indication of any immediate medical attention and special treatment needed
	In the workplace running water and soap.

SECTION 5	Firefighting measures
5.1	Extinguishing media
	The product is not flammable. Extinguishing agents adapt burning nearby.
	Inappropriate extinguishing media: N.a.
5.2	Special hazards arising from the substance or mixture
	Maybe it emits toxic gases – oxides of sulphur
5.3	Advice for firefighters: Breathing apparatus, workwear

SECTION 6	Accidental release measures
6.1	Personal precautions, protective equipment and emergency procedures
	Zoom out persons not participating in the elimination of consequences of the accident out of reach. Ventilate enclosed spaces. When removing the consequences of the accident using the prescribed personal protective equipment. When working on the disposal of the accident contained breathing apparatus and full protective suit. No smoking and treatment with an open fire.
6.2	Environmental precautions
	Do not allow substance to enter soil, sewage system, surface and groundwater.
6.3	Methods and material for containment and cleaning up
	Let soak it to inert absorption products. Rinse the affected area thoroughly with water. Small leak at least strongly dilute with water.
6.4	Reference to other sections

See section 13

SECTION 7	Handling and storage
7.1	Precautions for safe handling While working to comply with basic requirements of safe work. Wear recommended personal protective equipment. Avoid contact with eyes. By manipulation prohibits eating, drinking and smoking, working with hot materials and open flame. Equipment must be equipped with means of extinguishing in enclosed areas, ventilation should be provided, either naturally or forced. Apparatus, which works with the substance must be tight, equipped with emergency escape in case of space (emergency baths, catch pits) and to prevent leakage into the environment. Electrical equipments must be installed in non explosion proof (including lighting). Workplaces must be kept clean and escape routes must remain free.
7.2	Conditions for safe storage, including any incompatibilities Store in original container in a cool, dry and well ventilated place. Containers should be stored
7.3	separately from food. Specific end use(s)
	See in 1.2., Other uses – not available

SECTION 8	Exposure controls/personal protection
8.1	Control parameters Government Regulation No 361/2007 Coll Conditions for health workers at work and occupational exposure limits in the air of workplaces and ways of measuring and evaluating. (Czech) Sulphur dioxide: PEL 5 mg/m ³ NPK-P 10 mg/m ³ Substance is not listed in Notice. No.432/2003 Coll., Laying down limit values of biological exposure tests: not available
8.2	Exposure controls
	Individual protection measures, incl. protective equipment
	Technical measures: Working with a local source of suction and running water for the irrigation needs of the eyes, wash your hands or contaminated parts of the skin.
	Tightly closed containers and equipment, natural and mechanical ventilation. Do not allow product to the eyes, mouth, inhalation, skin contact. Do not eat, drink or smoke. Avoid contact with food substances and drinks. After work wash hands with soap and water.
	Respiratory protection: During normal handling is not required. In sensitive people (due to possible respiratory irritation) is recommended when mixing solution respirator use
	Hand protection: Use rubber (PE, nitril) gloves
	Eye protection: Safety glasses or face protection
	Skin protection: Workwear
	Environmental exposure: Provide preventing spill into waterways, soil and drainage.
SECTION	Physical and chemical properties

9	Physical and chemical properties
---	----------------------------------

9.1	Information on basic physical and chemical properties		
	Appearance	yellowish liquide	
	Odour	nonspecific	
	рН	3 - 4	
	Melting point/freezing point	cca 0 ° C	
	Initial boiling point and boiling range	cca 100 ° C	
	Flash point	Fireproof	
	Evaporation rate	N.a.	
	Flammability	Incombustible	
	Upper/lower flammability or explosive limits	Irrelevant	
	Vapour pressure	<20 mbar	
	Vapour density	Unknown	
	Oxidising properties	No	
	Relative density	1.291,31 g/cm ³	
	Solubility – watter	Solution	
	Partition coefficient: n-octanol/water	Unknown	
	Auto-ignition temperature	Irrelevant	
	Decomposition temperature	N.a.	
	Viscosity;	N.a.	
	Explosive properties	No	
9.2	Other information		
	Fat solubility	N.a.	
	Conductivity	N.a.	

SECTION 10	Stability and reactivity
10.1	Reactivity
	Under normal conditions the product is stable
10.2	Chemical stability
	Under normal conditions the product is stable
10.3	Possibility of hazardous reactions
	Strong minerale acids
10.4	Conditions to avoid
	High temperature
10.5	Incompatible materials
	Not available

10.6	Hazardous Decomposition Products
	Possible development of sulfur dioxide at elevated temperatures and reaction with acids

SECTION Toxicological informations			
11.1 Information on toxicological effects			
Acute toxicity	Harmful if swallowed		
Skin corrosion/irritation	Based on available data, the criteria for this classification are not match up		
Serious eye damage/eye irritation	Causes serious eye damage		
Respiratory or skin sensitisation	Based on available data, the criteria for this classification are not match up		
Germ cell mutagenicity	Based on available data, the criteria for this classification are not match up		
Carcinogenicity	Based on available data, the criteria for this classification are not match up		
Reproductive toxicity	Based on available data, the criteria for this classification are not match up		
Specific target organ toxicity — single exposure	Based on available data, the criteria for this classification are not match up		
Specific target organ toxicity — repeated exposure	Based on available data, the criteria for this classification are not match up		
Aspiration hazard	Based on available data, the criteria for this classification are not match up		
Likely routes of exposure and sympt	oms related to the physical, chemical and toxicological characteristics:		
	Toxicity oral. (ingestion / swallowing): If swallowed: strong acid burning of esofagus		
Toxicity inhal. (inhalation):			
The product is not dangerous			
Toxicity dermal.	· •		
The product is not dangerous			
Eye Contact:			
Causes serious eye damage			
Immediate, delayed and chronic effects of short and long term exposure: N.a.			

SECTION	Ecological information
12	
12.1	Toxicity
	LC ₅₀ (fish)/96hour: 150-220 mg/l EC ₅₀ (daphnia)/48hour: 89 mg/l IC ₅₀ (water algae)/72hour: 48 mg/l
12.2	Persistence and degradability

	Inorganic substances- Irrelevant
12.3	Bioaccumulative potential
	It is not expected
12.4	Mobility in soil
	N.a., the product is soluble in water,
12.5	Results of PBT and vPvB assessment
	Not available. Substances are not identified as a PBT or vPvB
12.6	Other adverse effects
	No

SECTION	Disposal considerations		
13			
13.1	Waste treatment methods		
	Code and type of waste	09 01 05* – bleaching solutions and soutions of bleaching fixers	
		15 01 10 * - packaging containing residues of hazardous substances	
	The recommended method of disposal of the substance/ preparation:	Spilled product let soak up with inert absorbent material and pass the person authorized to remove. Must not be disposed of with household or other waste. Do not wash into sewers.	
	The recommended method of disposal of contaminated product packaging:	Emptied containers pass to the autorized person	
	Waste legislation	Directive No. 2008/98/ES	

SECTION	Transport information
14	

Land transport (road / rail) ADR/RID , Maritime transport IMDG, Air transport ICAO-TI and IATA-DGR:

For the transport of the product **is not** classified as a dangerous thing (goods).

14.1	UN number		
14.2	UN proper shipping name		
14.3	Transport hazard class(es)		
14.4	Packing group		
	Classification code		
	Kemmler code		
	Labels		
14.5	Environmental hazards	see SECTION 12	
14.6	Special precautions for user		

14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	

SECTION 15	Regulatory information	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 1907/2006, registration, evaluation, autorisation, restriction chemicals (REACH) Regulation (EC) No 453/2010	
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures Direction No 67/548/EHS (DSD), 1999/45/ES (DPD) Act No. 350/2011 Coll. On chemical substances and mixtures Decree No. 381/2001 Coll. Establishing the Waste Catalogue. Government Regulation No. 361/2007 Coll. On the health conditions of workers at work	
	European Agreement concerning the international carriage of dangerous goods (ADR) applicable as from 1. January 2015	
	IMDG Code,MSC 93/22/Add.2 IATA Dangerous Goods Regulations, 56th Edition	
15.2	Chemical safety assessment	
	The chemical safety assessment for the product was 'n made.	

SECTION 16		
Abbreviations, symbols		
Eye Dam.1	Serious eye damage (Category 1)	
Acute Tox.4	Acute toxicity (oral), Hazard (Category 4)	
Xn	harmfull	
Xi	irritation	
CLP	Regulation (ES) č.1272/2008	
DPD	Direction (ES) 1999/45/ES	
PBT	Persistent, bioaccumulation, toxic	
vPvB	High persistent, high bioaccumulation	
SVHC	Substance of very hight concerns	
DNEL	Derivated No-Effect Level	
PNEC	Prediction No-Effect Concentration	

Materials used for the processing of safety data sheet

Information provided by the producter Material Safety Data Sheets (MSDS) for chemical substances

R, H-phrases :	
H302	Harmful if swallowed
H318	Causes serious eye damage
R22	Harmful if swallowed
R31	Contact with acids liberates toxic gas.
R41	Risk of serious damage to eyes.
EUH 031	Contact with acids liberates toxic gas.

Guidance regarding the training of workers:

Workers coming into contact with hazardous chemicals or products must have access to data which are presented in this MSDS and be familiar with them clearly.

Person transporting hazardous chemicals and preparations must be familiar with guidelines for emergency response in accordance with regulations on hazardous goods within the meaning of ADR / RID.

The information contained in this MSDS are currently valid data and best practices for use and handling of this substance under normal conditions. Any other use or handling of this substance, which is not consistent with those of MSDS, excludes liability for defects, respectively damage, which would otherwise meet the producter, importer or retailer.

Revised safety data sheet:

Revision: version 4.1 – changes in section 1.3 and 2.2– address of supplier