

## **Material Safety Data Sheet**

According to Regulation No 1907/2006/EC – REACH, No. 453/2010 and No 1272/2008/EC - CLP

Date of revision : 01/23/2015 Version No:5.1
Replaced version No: 5.0

SECTION 1	Identification of the substance/mixture and	d of the company/undertaking	
1.1	Product identifier	FOMADON EXCEL (W27), small part	
	Other name or labeling of product:		
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Two-piece powder negative developer for processing of black and white films		
1.3	Details of the supplier of the safety data sheet		
	Supplier : Downstream User (Producer Mixture)	FOMA BOHEMIA spol. s r.o.(Ltd.) J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111	
	E-mail address and phone number	ilona.spackova@foma.cz +420495733368	
1.4	Emergency telephone number (Czech)	Toxicologic institute (TIS) Na Bojišti 1, 128 21 Praha 2 Tel. 224919293, 224915402 (continuous telephone information service)	

SECTION 2	Hazards identification
2.1	Classification (according to Regulation No 1272/2008 – CLP)  Carc.2;H351  Repr. 1B;H360FD  Acute Tox.4;H302  Eye Irrit.2;H319
	SkinSens.2;H317  Classification (according to Directive No 1999/45/ES – (DPD)  Carc.Cat.3;R40  Repr.Cat.2;R60,R61  Xn;R22  Xi;R36,R43
	The most important adverse physicochemical, human health and environmental effects: Suspected of causing cancer .May damage fertility. May damage the sborn child. Harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction.

2.2	Label elements (according to Regulation No 1272/2008/EC- CLP)			
Identification of pr	oduct	FOMADON EXCEL (W27), small part		
hazard pictogram				
signal word		Danger		
hazard	H351	Suspected of causing cancer		
statement(s) (H-,	H360FD	May damage fertility. May damage the sborn child.		
phrases)	H302	Harmful if swallowed.		
	H319	Causes serious eye irritation		
	H317	May cause an allergic skin reaction		
		Keep out of reach of children		
statement	P262	Do not get in eyes, on skin, or on clothing.		
(P- phrases)	P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove		
		contact lenses if present and easy to do. Continue rinsing		
	P308+P313	IF exposed or concerned: Get medical advice/attention.		
	P273	Avoid release to the environment		
	P501	Dispose of contents/container to collecting place for dangerous waste in accordance with national regulations.		
		Contain: Sodium tetraborate decahydrate, Trisodium nitrilotriacetate, Dimezone S		
		FOMA BOHEMIA spol. s r.o., J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111		

2.3	Other hazards
	Sodium tetraborate decahydrate belongs to the category SVHC

SECTION 3		Composition/information on ingredients						
3.2		Mixtures						
Folder name Registration number		Index number	CAS number	ES number	Content % in the solution	Classification		
Sodium tetraborate decahydrate	01- 2119- -32-0	490790 000	005-011-01-	1303-96- 4	215-540-4	< 35	Eye Irrit.2;H319 Repr 1B; H360FD	Xi;R36 Repr. Cat.2; R60-61
Trisodium nitrilotriacetate (Na3NTA) (Dissolvine A 92)	01- 2119! -36-0	519239 002	607-620-00- 6	5064-31-	225-768-6	< 35	AcuteTox4;H302 Eye Irrit.2;H319 Carc.2;H351	Xn;R22 Xi;R36 Carc.Cat.3;R40
4- hydroxymethyl- 4-methyl- 1-phenyl –3- pyrazolidinone (Dimezone S)	Not availa	able	Not available	13047- 13-7	235-920-3	< 15	AcuteTox4;H302 SkinSens2;H317 Aquatic Chronic2;H411	Xn;R22 Xi;R43 N;R51/53

(Full text R, H-phrases... section 16)

SECTION 4	First aid measures
4.1	Description of first aid measures
	Disabled person to lead from the contaminated area, bringing it into a state of peace and to facilitate breathing by loosening clothing, watch, and if necessary to maintain its vital functions. If you are experiencing symptoms of acute injury (shortness of breath, persistent cough, chest pain, nausea, impaired sensory perception, fainting, etc.), call a physician or transport the injured person to a doctor.
	After contact with skin: Wash affected area thoroughly with water.
	Eye Contact: Remove any contact lenses and eye as soon as possible wash with plenty water. If necessary, open up violence cramped eyelids. Avoid contamination not contaminated eye wash liquid Do not neutralize. Seek medical help.
	Exposure by inhalation: Remove patient to fresh air, lukewarm water rinse eyes, mouth and nasal cavity.
	Ingestion: Affected person calm, clear water rinse. Place to drink a glass (about 0.4 dl) of cold water. Do not induce vomiting. If affected persone vomit spontaneously, control to prevent inhalation of vomit. Do not administer activated charcoal, and no neutralizing agent. Call a physician or transport the affected person to a doctor.
4.2	Most important symptoms and effects, both acute and delayed
	Not known
4.3	Indication of any immediate medical attention and special treatment needed
	In the workplace, running water and soap.

SECTION 5	Firefighting measures
5.1	Extinguishing media
	The product (liquid solution) is not flammable. Extinguishing agents adapt burning nearby.
	Inappropriate extinguishing media: N.a.
5.2	Special hazards arising from the substance or mixture
	At elevated temperatures or by contact with acid can release sulphur dioxide
5.3	Advice for firefighters: Breathing apparatus, workwear

SECTION 6	Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures	
	Zoom out persons not participating in the elimination of consequences of the accident out of reach. Ventilate enclosed spaces. When removing the consequences of the accident using the prescribed personal protective equipment. When working on the disposal of the accident contained breathing apparatus and full protective suit. No smoking and treatment with an open fire.	
6.2	Environmental precautions	
	Do not allow substance to enter soil, sewage system, surface and groundwater.	
6.3	Methods and material for containment and cleaning up	

	The spilled product by mechanical collection. According to the extent of leakage select the appropri tools: broom, dustpan, vacuum equipment, etc. Minimize dust. Gather into a suitable labeled contai for further processing or disposal. Spill site with water. Contaminated washing water contain a remove.	
6.4	Reference to other sections	
	See section 13	

SECTION 7	Handling and storage
7.1	Precautions for safe handling  While working to comply with basic requirements of safe work. Wear recommended personal protective equipment. Avoid contact with eyes.  By manipulation prohibits eating, drinking and smoking, working with hot materials and open flame. Equipment must be equipped with means of extinguishing in enclosed areas, ventilation should be provided, either naturally or forced.  Workplaces must be kept clean and escape routes must remain free.
7.2	Conditions for safe storage, including any incompatibilities  Store in original containers in a cool, dry and well ventilated place. Containers should be stored separately from food. The working solution prepare according to the instructions.
7.3	Specific end use(s) See in 1.2. , Other uses – not available

SECTION 8	Exposure controls/personal protection				
8.1	Control parameters  Government Regulation No 361/2007 Coll Conditions for health workers at work and occupational exposure limits in the air of workplaces and ways of measuring and evaluating. (Czech)  Substance is not listed in Notice. No.432/2003 Coll., Laying down limit values of biological exposure tests: not available				
	DNEL: (Sodium tetraborate) Long-Term – derm., systemic. effect Long-Term – inhal., systemic. effect Long-Term – inhal., local. effect Long-Term – oral., systemic. effect Short-Term- oral, systemic. effect Short-Term – inhal., local. effect	Workers 316.4 mg/kg bw/day 6.7 mg/m <sup>3</sup> 1 mg/m <sup>3</sup>	General 159.5 mg/kg bw/day 3.4 mg/m³ 0,5 mg/m³ 0,79 mk/kg bw/day 0,79 mk/kg bw/day 11.7 mg/m³		
	PNEC : (Sodium tetraborate) Freshwater Seawater Soil Mikroorganisms in Sewasge Treatment Plant	1.35mg/l 1.35 mg/l 5.4 ug/kg sediment dw 1.75mg/l			
8.2	Exposure controls  Individual protection measures, incl. protective	equipment			

Technical measures: Working with a local source of suction and running water for the irrigation needs of the eyes, wash your hands or contaminated parts of the skin.
Tightly closed containers and equipment, natural and mechanical ventilation. Do not allow product to the eyes, mouth, inhalation, skin contact. Do not eat, drink or smoke. Avoid contact with food substances and drinks. After work wash hands with soap and water. Alternatively, take off contaminated clothing.
Respiratory protection: During normal handling is not required. In sensitive people (due to possible respiratory irritation) is recommended when mixing solution respirator use
Hand protection: Use rubber (PE) gloves
Eye protection: Safety glasses
Skin protection: Workwear
Environmental exposure: Provide preventing spill into waterways, soil and drainage.

SECTION 9	Physical and chemical properties	
9.1	Information on basic physical and chemical properties	
	Appearance	White powder
	Odour	Moderate, nonspecific
	pH	cca 8.2 (12 % solution after mixing small and big part)
	Melting point/freezing point	N.a.
	Initial boiling point and boiling range	Unknown
	Flash point	Fireproof
	Evaporation rate	N.a.
	Flammability	Incombustible
	Upper/lower flammability or explosive limits	Irrelevant
	Vapour pressure	N.a.
	Vapour density	Unknown
	Oxidising properties	No
	Relative density	N.a.
	Solubility – watter	cca 200g/l
	Partition coefficient: n-octanol/water	No
	Auto-ignition temperature	Irrelevant
	Decomposition temperature	N.a.
	Viscosity;	N.a.
	Explosive properties	No
9.2	Other information	
	Fat solubility	No
	Conductivity	N.a.

SECTION 10	Stability and reactivity
10.1	Reactivity
	Under normal conditions the product is stable
10.2	Chemical stability
	Under normal conditions the product is stable
10.3	Possibility of hazardous reactions
	Strong minerale acids
10.4	Conditions to avoid
	High temperature
10.5	Incompatible materials
	N.a.
10.6	Hazardous Decomposition Products
	Possible development of sulfur dioxide at elevated temperatures and reaction with acids

SECTION Toxicological informati	Toxicological informations	
11.1 Information on toxicologi	Information on toxicological effects	
Acute toxicity	Harmful if swallowed	
Skin corrosion/irritation	Based on available data, the criteria for this classification are not match up	
Serious eye damage/eye irritation	Causes serious eye irritation	
Respiratory or skin sensitisation	May cause an allergic skin reaction	
Germ cell mutagenicity	Based on available data, the criteria for this classification are not match up	
Carcinogenicity	Suspected of causing cancer	
Reproductive toxicity	May damage fertility. May damage the sborn child.	
Specific target organ toxicity — single exposure	Based on available data, the criteria for this classification are not match up	
Specific target organ toxicity — repeated exposure	Based on available data, the criteria for this classification are not match up	
Aspiration hazard	Based on available data, the criteria for this classification are not match up	
Likely routes of exposure and symptoms related to the physical, chemical and toxicological characteristics:		
Toxicity oral. (ingestion / swallowing):		
Harmful if swallowed. Ingestion may cause irritation or burns to the digestive tract. It causes nausea.		
Toxicity inhal. (inhalation):		
The product (solution) is not dangerous. In sensitive people is possible respiratory irritation.		
Toxicity dermal.		
May cause an allergic skin reaction		
Eye Contact:		

Causes serious eye irritation

Immediate, delayed and chronic effects of short and long term exposure:

N.a.

SECTION	Ecological information	
12		
12.1	Toxicity	
	Not toxic	
12.2	Persistence and degradability	
	Mostly inorganic substances- Irrelevant	
12.3	Bioaccumulative potential	
	It is not expected	
12.4	Mobility in soil	
	N.a., the product is soluble in water	
12.5	Results of PBT and vPvB assessment	
	Not available. Substances are not identified as a PBT or vPvB	
12.6	Other adverse effects	
	Not available	

SECTION	Disposal considerations	
13		
13.1	Waste treatment methods	
	Code and type of waste 09 01 01* – aqueous developer solutions	
		15 01 10 * - packaging containing residues of hazardous substances
	The recommended method of disposal of the substance/ preparation:	
	The recommended method of disposal of contaminated product packaging:	Emptied containers pass to the autorized person
	Waste legislation	Directive No. 2008/98/ES

SECTION 14	Transport information
---------------	-----------------------

Land transport (road / rail) ADR/RID , Maritime transport IMDG, Air transport ICAO-TI and IATA-DGR:

For the transport of the product **is not** classified as a dangerous thing (goods).

14.1	UN number	
14.2	UN proper shipping name	
14.3	Transport hazard class(es)	
14.4	Packing group	
	Classification code	
	Kemmler code	
	Labels	
14.5	Environmental hazards	see SECTION 12
14.6	Special precautions for user	
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	

SECTION 15	Regulatory information	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	Regulation (EC) No 1907/2006, registration, evaluation, autorisation, restriction chemicals (REACH) Regulation (EC) No 453/2010	
Regulation (EC) No 1272/2008 of the European Parliament and of the Council on cla labelling and packaging of substances and mixtures Direction No 67/548/EHS (DSD), 1999/45/ES (DPD)		
	Act No. 350/2011 Coll. On chemical substances and mixtures Decree No. 381/2001 Coll. Establishing the Waste Catalogue.	
	Government Regulation No. 361/2007 Coll. On the health conditions of workers at work	
	European Agreement concerning the international carriage of dangerous goods (ADR) applicable as from 1. January 2015	
	IMDG Code,MSC 93/22/Add.2 IATA Dangerous Goods Regulations, 56th Edition	
15.2	Chemical safety assessment	
	The chemical safety assessment for the product was 'n made.	

SECTION 16	
Abbreviations, symbols	
	Consider a margital (Costa margina)
Carc.2	Carcinogenity (Category 2)
Repr.1B	Reproductive toxicity ( Category 1B)
Skin Sens.2	Skin sensibilisation (Category 2)
Acute Tox.4	Hazardous to the aquatic environment, acute (Category 4)
Eye Irrit.2	Serious eye irritation (Cat. 2)
Aquatic Chronic 2	Hazardous to the aquatic environment ( Category 2)

Carc. cat.3	Carcinogenity (Category 3)
Repr cat.2	Reproductive toxicity ( Category 2)
Xn	harmfull
Xi	irritation
N	hazardous to the aquatic environment
CLP	Regulation (ES) č.1272/2008
DPD	Direction (ES) 1999/45/ES
PBT	Persistent, bioaccumulation, toxic
vPvB	High persistent, high bioaccumulation
SVHC	Substance of very hight concerns
DNEL	Derivated No-Effect Level
PNEC	Prediction No-Effect Concentration

## Materials used for the processing of safety data sheet Information provided by the producter

Material Safety Data Sheets (MSDS) for chemical substances

## R. H-phrases:

R, H-phrases:		
H351	Suspected of causing cancer	
H360FD	May damage fertility. May damage the sborn child.	
H302	Harmful if swallowed	
H319	Causes serious eye irritation	
H317	May cause an allergic skin reaction	
H411	Toxic to aquatic life with long lasting effects.	
R40	Limited evidence of a carcinogenic effect	
R60	May impair fertility	
R61	May cause harm to the unborn child	
R36	Causes serious eye irritation	
R22	Harmful if swallowed	
R43	May cause sensitisation by skin contact	
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	

## Guidance regarding the training of workers:

Workers coming into contact with hazardous chemicals or products must have access to data which are presented in this MSDS and be familiar with them clearly.

Person transporting hazardous chemicals and preparations must be familiar with guidelines for emergency response in accordance with regulations on hazardous goods within the meaning of ADR / RID.

The information contained in this MSDS are currently valid data and best practices for use and handling of this substance under normal conditions. Any other use or handling of this substance, which is not consistent with those of MSDS, excludes liability for defects, respectively damage, which would otherwise meet the producter, importer or retailer.

Revised safety data sheet:

version 5.1 - changes in section 1.3 and 2.2- address of supplier