

Material Safety Data Sheet

According to Regulation No 1907/2006/EC – REACH, No. 453/2010 and No 1272/2008/EC - CLP

Date of revision: 01/23/2015 Version No: 6.1

Replaced version No: 6.0

SECTION 1	Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	FOMATONER INDIGO, part B	
	Other name or labeling of product:		
1.2	Relevant identified uses of the substance o	r mixture and uses advised against	
	Concentrate Hardening Rapid Fixer for pro-	cessing of industrial X-ray films	
1.3	Details of the supplier of the safety data sheet		
	Supplier : Downstream User (Producer Mixture)	FOMA BOHEMIA spol. s r.o.(Ltd.) J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111	
	E-mail address and phone number	ilona.spackova@foma.cz +420495733368	
1.4	Emergency telephone number (Czech)	Toxicologic institute (TIS) Na Bojišti 1, 128 21 Praha 2 Tel. 224919293, 224915402 (continuous telephone information service)	

SECTION 2	Hazards identification
2.1	Classification (according to Regulation No 1272/2008 – CLP)
	The mixture is not classified - shows no hazardous properties
	Classification (according to Directive No 1999/45/ES – (DPD)
	The mixture is not classified - shows no hazardous properties
	The most important adverse physicochemical, human health and environmental effects: Upon contact with the eyes can cause moderate irritation.

2.2 Label elemen	Label elements (according to Regulation No 1272/2008/EC- CLP)		
Identification of product	FOMATONER INDIGO, part B		
hazard pictogram			
signal word			
hazard statement(s) (H-, EUH- phrases) precautionary statement (P- phrases)			
	FOMA BOHEMIA spol. s r.o., J. Krušinky 1737/6, 500 02 Hradec Králové tel: 495 733 111		

2.3	Othe	er hazards
	The	substance does not belong to the category of PBT, vPvB, SVHC

SECTION 3	Composition	Composition/information on ingredients					
3.2	Mixtures						
Folder name	Registration number	Index number	CAS number	ES number	Content % in the solution	Classif	ication
Oxalic acid	01- 2119534576 -33-	607-006- 00-8	144-62-7	205-634-3	< 1,5	Acute Tox.4;H312 Acute Tox.4;H302 Eye Dam.1;H318	Xi;R41 Xn;R21/22
Ammonium iron bis(sulphate)	Not available	Not available	7783-83- 7	233-382-4	< 1,5	Eye Irrit.2;H319 Skin Irrit.2;H315 STOT SE 3;H335	Xi;R36/37/38

Solution

(Full text R, H-phrases... section 16)

SECTION 4	First aid measures
4.1	Description of first aid measures
	Disabled person to lead from the contaminated area, bringing it into a state of peace and to facilitate breathing by loosening clothing, watch, and if necessary to maintain its vital functions. If you are experiencing symptoms of acute injury (shortness of breath, persistent cough, chest pain, nausea, impaired sensory perception, fainting, etc.), call a physician or transport the injured person to a doctor.
	After contact with skin: Wash affected area thoroughly with water.
	Eye Contact: Remove any contact lenses and eye as soon as possible wash with plenty water. If necessary, open up violence cramped eyelids. Avoid contamination not contaminated eye wash liquid Do not neutralize. Seek medical help.

	Exposure by inhalation: Remove patient to fresh air, lukewarm water rinse eyes, mouth and nasal cavity.
	Ingestion: Affected person calm, clear water rinse. Place to drink a glass (about 0.4 dl) of cold water. Do not induce vomiting. If affected persone vomit spontaneously, control to prevent inhalation of vomit. Do not administer activated charcoal, and no neutralizing agent. Call a physician or transport the affected person to a doctor.
4.2	Most important symptoms and effects, both acute and delayed
	Not known
4.3	Indication of any immediate medical attention and special treatment needed
	In the workplace, running water and soap.

SECTION 5	Firefighting measures
5.1	Extinguishing media The product (liquid) is not flammable. Extinguishing agents adapt burning nearby.
	Inappropriate extinguishing media: N.a.
5.2	Special hazards arising from the substance or mixture
	N.a.
5.3	Advice for firefighters: Breathing apparatus, workwear

SECTION 6	Accidental release measures
6.1	Personal precautions, protective equipment and emergency procedures
	Zoom out persons not participating in the elimination of consequences of the accident out of reach. Ventilate enclosed spaces. When removing the consequences of the accident using the prescribed personal protective equipment. When working on the disposal of the accident contained breathing apparatus and full protective suit. No smoking and treatment with an open fire.
6.2	Environmental precautions
	Do not allow substance to enter soil, sewage system, surface and groundwater.
6.3	Methods and material for containment and cleaning up
	Let soak it to inert absorption products. Rinse the affected area thoroughly with water. Small leak at least strongly dilute with water.
6.4	Reference to other sections
	See section 13

SECTION 7	Handling and storage
7.1	Precautions for safe handling While working to comply with basic requirements of safe work. Wear recommended personal protective equipment. Avoid contact with eyes. By manipulation prohibits eating, drinking and smoking, working with hot materials and open flame. Equipment must be equipped with means of extinguishing in enclosed areas, ventilation should be

	provided, either naturally or forced. Workplaces must be kept clean and escape routes must remain free.		
7.2	Conditions for safe storage, including any incompatibilities		
	Store in original containers in a cool, dry and well ventilated place. Containers should be stored separately from food.		
7.3	Specific end use(s)		
	See in 1.2., Other uses – not available		

SECTION 8	Exposure controls/personal protection	
8.1	Control parameters Government Regulation No 361/2007 Coll Conditions for health workers at work and occupational exposure limits in the air of workplaces and ways of measuring and evaluating. (Czech) Substance is not stated. Substance is not listed in Notice. No.432/2003 Coll., Laying down limit values of biological exposure tests: not available	
8.2	Exposure controls	
	Individual protection measures, incl. protective equipment	
	Technical measures: Working with a local source of suction and running water for the irrigation needs of the eyes, wash your hands or contaminated parts of the skin.	
	Tightly closed containers and equipment, natural and mechanical ventilation. Do not allow product to the eyes, mouth, inhalation, skin contact. Do not eat, drink or smoke. Avoid contact with food substances and drinks. After work wash hands with soap and water. Alternatively, take off contaminated clothing.	
	Respiratory protection: During normal handling is not required.	
	Hand protection: Use rubber (PE, nitril) sloves- recomended	
	Eye protection: Safety glasses- recommended	
	Skin protection: Workwear	
	Environmental exposure: Provide preventing spill into waterways, soil and drainage.	

SECTION 9	Physical and chemical properties	
9.1	Information on basic physical and chemical properties	
	Appearance	yellow-green liquid
	Odour	Nonspecific
	pH (20 ° C)	5.0-5.4
	Melting point/freezing point	< 0 ° C
	Initial boiling point and boiling range	> 100 ° C
	Flash point	Fireproof
	Evaporation rate	N.a.
	Flammability	Incombustible
	Upper/lower flammability or explosive limits	Irrelevant
	Vapour pressure	<20 mbar

	Vapour density	Unknown
	Oxidising properties	No
	Relative density	1.01 g/cm ³
	Solubility – watter	Solution
	Partition coefficient: n-octanol/water	Unknown
	Auto-ignition temperature	Irrelevant
	Decomposition temperature	N.a.
	Viscosity;	N.a.
	Explosive properties	No
9.2	Other information	
	Fat solubility	N.a.
	Conductivity	N.a.

SECTION 10	Stability and reactivity
10.1	Reactivity
	Under normal conditions the product is stable
10.2	Chemical stability
	Under normal conditions the product is stable
10.3	Possibility of hazardous reactions
	Strong minerale acids
10.4	Conditions to avoid
	High temperature
10.5	Incompatible materials
	Not available
10.6	Hazardous Decomposition Products
	Not available

SECTION 11	Toxicological informations		
11.1	Information on toxicological effects		
Acute toxic	city	Based on available data, the criteria for this classification are not match up	
Skin corrosion/irritation		Based on available data, the criteria for this classification are not match up	
Serious eye damage/eye irritation		Based on available data, the criteria for this classification are not match up	
Respiratory or skin sensitisation		Based on available data, the criteria for this classification are not match up	
Germ cell mutagenicity		Based on available data, the criteria for this classification are not match up	
Carcinogenicity		Based on available data, the criteria for this classification are not match up	

Reproductive toxicity	Based on available data, the criteria for this classification are not match up	
Specific target organ toxicity — single exposure	Based on available data, the criteria for this classification are not match up	
Specific target organ toxicity — repeated exposure	Based on available data, the criteria for this classification are not match up	
Aspiration hazard	Based on available data, the criteria for this classification are not match up	
LD ₅₀ oral rat: 500 mg/kg (oxal	•	
Likely routes of exposure and symptom	oms related to the physical, chemical and toxicological characteristics:	
Toxicity oral. (ingestion / swallowing)	:	
The product (solution) is not dangerous.		
Toxicity inhal. (inhalation):		
The product (solution) is not dangerous.		
Toxicity dermal.		
The product (solution) is not dangerous.		
Eye Contact:		
The product (solution) is not dangerous.		
Immediate, delayed and chronic effects of short and long term exposure:		
N.a.		

SECTION	Ecological information
12	
12.1	Toxicity
	Phe product is not toxic.
12.2	Persistence and degradability
	Oxalic acid: well biodegradace.
12.3	Bioaccumulative potential
	It is not expected
12.4	Mobility in soil
	N.a., the product is soluble in water
12.5	Results of PBT and vPvB assessment
	Not available. Substances are not identified as a PBT or vPvB
12.6	Other adverse effects
	Not available

SECTION	Disposal considerations
13	
13.1	Waste treatment methods

Code and type of waste	09 01 01* – aqueous developer solutions
	20 01 17* - Photo chemicals
	15 01 10 * - packaging containing residues of hazardous substances
The recommended method of disposal of the substance/ preparation:	Spilled product let soak up with inert absorbent material and pass the person authorized to remove. Must not be disposed of with household or other waste. Do not wash into sewers.
The recommended method of disposal of contaminated product packaging:	Emptied containers (after thorough flushing) can be reused, or to defer to container, designated for separate collection (plastics).
Waste legislation	Directive No. 2008/98/ES

SECTION	Transport information
14	

Land transport (road / rail) ADR/RID , Maritime transport IMDG, Air transport ICAO-TI and IATA-DGR:

For the transport of the product is not classified as a dangerous thing (goods).

14.1	UN number	
14.2	UN proper shipping name	
14.3	Transport hazard class(es)	
14.4	Packing group	
	Classification code	
	Kemmler code	
	Labels	
14.5	Environmental hazards	see SECTION 12
14.6	Special precautions for user	
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	

SECTION 15	Regulatory information
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	Regulation (EC) No 1907/2006, registration, evaluation, autorisation, restriction chemicals (REACH) Regulation (EC) No 453/2010 Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures Direction No 67/548/EHS (DSD), 1999/45/ES (DPD) Act No. 350/2011 Coll. On chemical substances and mixtures Decree No. 381/2001 Coll. Establishing the Waste Catalogue. Government Regulation No. 361/2007 Coll. On the health conditions of workers at work
	European Agreement concerning the international carriage of dangerous goods (ADR) applicable as from 1. January 2015 IMDG Code, MSC 93/22/Add.2

	IATA Dangerous Goods Regulations, 56th Edition
15.2	Chemical safety assessment
	The chemical safety assessment for the product was n made.

SECTION 16	
Abbreviations, symbols	
STOT SE 3	Specific target organ toxicity – Single exposure (Category 3)
Acute Tox.4	Hazardous to the aquatic environment, acute (Category 4)
Skin Irrit. 2	Skin irritation (Cat. 2)
Eye Irrit.2	Serious eye irritation (Cat. 2)
EyeDam.1	Seriou eye damage (category1)
Xn	harmfull
Xi	irritation
CLP	Regulation (ES) č.1272/2008
DPD	Direction (ES) 1999/45/ES
PBT	Persistent, bioaccumulation, toxic
vPvB	High persistent, high bioaccumulation
SVHC	Substance of very hight concerns
DNEL	Derivated No-Effect Level
PNEC	Prediction No-Effect Concentration

Materials used for	the processing of safety data sheet
Information provide Material Safety Date	d by the producter a Sheets (MSDS) for chemical substances
R, H-phrases:	
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation
H315	Causes skin irritation.
H335	May cause respiratory irritation.
R36/37/38	Irritating to eyes, respiratory system and skin.
R22	Harmful if swallowed
R20	Harmful by inhalation.
R41	Risk of serious damage to eyes

Workers coming into contact with hazardous chemicals or products must have access to data which are presented in this MSDS and be familiar with them clearly. Person transporting hazardous chemicals and preparations must be familiar with guidelines for emergency response in accordance with regulations on hazardous goods within the meaning of ADR / RID.

The information contained in this MSDS are currently valid data and best practices for use and handling of this substance under normal conditions. Any other use or handling of this substance, which is not consistent with those of MSDS, excludes liability for defects, respectively damage, which would otherwise meet the producter, importer or retailer.

Revised safety data sheet:

version 6.1 - changes in section 1.3 and 2.2- address of supplier