



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

180110 Promicrol 1L-Single Bottle T/M 6x10/15L

Page 1/6

3

Revision Revision date 2017-06-15

SECTION 1: Identification of the subst	ance/mixture and of the company/undertaking		Kevision date 2017-06-15	
1.1. Product identifier				
Product name	180110 Promicrol 1L-Single Bottle T/M 6x10/15L			
1.3. Details of the supplier of the safety dat	ta sheet			
Company Address	Champion Photochemistry Sdn Bhd Lot 28-B Mukim Batu Industrial Area 6 1/2 Miles Jalan Kepong 52000 Kuala Lumpur MALAYSIA	Supplied by:	Champion Imaging Ltd Regent Park Princes Risborough Bucks, HP27 9LE England	
Web	www.championphotochemistry.com		www.championimaging.co.uk	
Telephone	+603-6257 2600		01844 342 866	
Fax	+603-6257 2622		01844 344 915	
SECTION 2: Hazards identification				
2.1. Classification of the substance or mixt				
2.1.1. Classification -	Xn; R40-68 Xi; R36-43			
1999/45/EC	Symbols: Xn: Harmful.			
Main hazards	Irritating to eyes. Limited evidence of a carcinogenic effe contact. Possible risk of irreversible effects.	ect. May cause sensitisation by s	skin	
2.1.2. Classification - EC	Skin Sens. 1: H317; Eye Irrit. 2: H319; Muta. 2: H341; Carc. 2: H351;			
1272/2008				
2.2. Label elements				
Hazard pictograms				
Signal Word	Warning			
Hazard Statement	Skin Sens. 1: H317 - May cause an allergic skin reaction Eye Irrit. 2: H319 - Causes serious eye irritation. Muta. 2: H341 - Suspected of causing genetic defects . Carc. 2: H351 - Suspected of causing cancer .	n.		
Precautionary Statement:	P201 - Obtain special instructions before use.			
Prevention	P202 - Do not handle until all safety precautions have be			
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spra P264 - Wash thoroughly after handling.	ay.		
	P272 - Contaminated work clothing should not be allowed	ed out of the workplace.		
	P280 - Wear protective gloves/protective clothing/eye pr	rotection/face protection.		
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .			
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with v	water for several minutes. Remo	ve contact	
	lenses, if present and easy to do. Continue rinsing.			
	P308+P313 - IF exposed or concerned: Get medical adv	vice/attention.		
	P321 - Specific treatment (see on this label).			



Revision 3

Revision date 2017-06-15

 2.2. Label elements
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

 Precautionary Statement:
 P337+P313 - If eye irritation persists: Get medical advice/attention.

 Precautionary Statement:
 P405 - Store locked up.

 Precautionary Statement:
 P501 - Dispose of contents/container to hazardous or special waste collection point.

 Disposal
 P501 - Dispose of contents/container to hazardous or special waste collection point.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			80 - 90%		
Sodium Sulfite Anhydrous		7757-83-7			5 - 10%		
Potassium Carbonate		584-08-7	209-529-3		1 - 3%	Xi; R36/37/38	
Hydroquinone		123-31-9	204-617-8		0.5 - 1%	Xn; R22-40-68 Xi; R41-43 N; R50	
Pentasodium DTPA Solution 42%		140-01-2	205-391-3		0.5 - 1%	C; R35 Xn; R22-40	
Sodium Citrate		6132-04-3	200-675-3		0 - 0.5%		
Hydroxymethylphenidone (Dimezone-S)		13047-13-7	235-920-3		0 - 0.5%	Xi; R36/37/38	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			80 - 90%		
Sodium Sulfite Anhydrous		7757-83-7			5 - 10%	STOT SE 3: H335;	
Potassium Carbonate		584-08-7	209-529-3			Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;	
Hydroquinone		123-31-9	204-617-8		0.5 - 1%	Acute Tox. 4: H302; Skin Sens. 1: H317; Eye Dam. 1:	
						H318; Muta. 2: H341; Carc. 2: H351; Aquatic Acute 1:	
						H400;	
Pentasodium DTPA Solution 42%		140-01-2	205-391-3		0.5 - 1%	Eye Dam. 1: H318; Acute Tox. 4: H332;	
Sodium Citrate		6132-04-3	200-675-3		0 - 0.5%		
Hydroxymethylphenidone (Dimezone-S)		13047-13-7	235-920-3		0 - 0.5%	Acute Tox. 4: H302; Skin Sens. 1: H317;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention. Irritating to eyes.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable. This product is not flammable.

5.2. Special hazards arising from the substance or mixture



Revision

3

180110 Promicrol 1L-Single Bottle T/M 6x10/15L

		Revision date	2017-06-15
5.2. Special hazards arising from the subs	tance or mixture		
	Corrosive. Burning produces irritating, toxic and obnoxious fun	nes.	
5.3. Advice for firefighters			
	Protective equipment. Wear suitable respiratory equipment wh	en necessary. In case of fire and/or	
	explosion do not breathe fumes.		
SECTION 6: Accidental release meas	ures		
6.1. Personal precautions, protective equi	oment and emergency procedures		
	Ensure adequate ventilation of the working area. Evacuate per protective equipment.	rsonnel to a safe area. Wear suitable	
6.2. Environmental precautions			
	Do not allow product to enter drains. Prevent further spillage if	safe.	
6.3. Methods and material for containment	and cleaning up		
	Absorb with inert, absorbent material. Transfer to suitable, labe spillage area thoroughly with plenty of water.	elled containers for disposal. Clean	
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
	Avoid contact with eyes and skin. Ensure adequate ventilation	of the working area.	
7.2. Conditions for safe storage, including	any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tight	ly closed.	
SECTION 8: Exposure controls/persor	nal protection		
8.1. Control parameters			
8.1.1. Exposure Limit Values			
Hydroquinone	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.5	
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total	
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -	
	respirable dust:	respirable dust:	
8.2. Exposure controls			
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.		
controls			
8.2.2. Individual protection	Wear chemical protective clothing.		
measures Eye / face protection	Approved safety goggles.		
Skin protection -	Chemical resistant gloves (PVC).		
Handprotection			
Respiratory protection	Wear:. Self-contained breathing apparatus.		
SECTION 9: Physical and chemical pr	operties		

9.1. Information on basic physical and chemical properties



Revision 3

Revision date 2017-06-15

9.1. Information on basic physical and chemical properties

Appearance	Aqueous solution
Colour	Light yellow
Odour	Odourless
Odour threshold	Not relevant
pH	9.3
Melting point	Not relevant
Initial boiling point	Not determined
Flash point	Not relevant
Evaporation rate	Not relevant
Flammability (solid, gas)	Not relevant
Upper Explosive Limit	Not relevant
Lower Explosive Limit	Not relevant
Vapour pressure	Not relevant
Vapour density	Not relevant
Partition coefficient	Not relevant
(n-octanol/water)	
Autoignition temperature	Not relevant
Decomposition temperature	No data available
Viscosity	Not determined
Solubility	Miscible in water

9.2. Other information

Specific gravity	1.125			
SECTION 10: Stability and reactivity				
10.2. Chemical stability				
	Stable under normal conditions.			
SECTION 11: Toxicological informatio	n			
11.1. Information on toxicological effects				
Skin corrosion/irritation	May cause irritation to skin. Prolonged or repeated exposure may cause irritation to skin and mucous membranes.			
Repeated or prolonged exposure	May cause allergic reactions in susceptible people. May cause severe irritation to eyes and skin.			
11.1.4. Toxicological Information				
	No data available			
SECTION 12: Ecological information				
12.1. Toxicity				
	No data available			
	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.			
12.3. Bioaccumulative potential				
Partition coefficient				
	Pentasodium DTPA Solution <0 42%			
SECTION 13: Disposal considerations				
General information				
	Dispose of in compliance with all local and national regulations			

Dispose of in compliance with all local and national regulations.

Revision 3

		Revision date	2017-06-1
Disposal methods			
	Do not empty into drains; dispose of this material and its container in a safe way. Do NOT mix with		
	any other product. Do not empty into drains, dispose of this material and its container at hazardous		
	or special waste collection point.		
SECTION 14: Transport information	on		
14.1. UN number			
	The product is not classified as dangerous for carriage.		
14.2. UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(es)			
·····			
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special proceutions for upor			
14.6. Special precautions for user			
	The product is not classified as dangerous for carriage.		
14.7. Transport in bulk according to A	Innex II of MARPOL 73/78 and the IBC Code		
	The product is not classified as dangerous for carriage.		
	- 		
SECTION 15: Regulatory informat	uon		
Further information			
	Information contained in the MSDS is to our best present knowledge correct and complete and is		
	given in good faith but without warranty.		
SECTION 16: Other information			
Other information			
Revision	This document differs from the previous version in the following areas:.		
	2 - 2.1. Classification of the substance or mixture.		
	2 - 2.1.2. Classification - EC 1272/2008.		
	2 - Hazard pictograms.		
	2 - Precautionary Statement: Response.		
	 9 - 9.1. Information on basic physical and chemical properties (Flash point). 9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature). 		
	9 - 9.1. Information on basic physical and chemical properties (Relative density).		
	9 - 9.1. Information on basic physical and chemical properties (Relative density).		
	9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).		
	9 - 9.2. Other information (Surface tension).		
	9 - 9.2. Other information (Specific gravity).		
	12 - 12.1. Toxicity.		
	15 - Risk phrases.		
Text of risk phrases in Section	R22 - Harmful if swallowed.		
3	R35 - Causes severe burns.		
•	R36/37/38 - Irritating to eyes, respiratory system and skin.		
	R40 - Limited evidence of a carcinogenic effect.		
	R41 - Risk of serious damage to eyes.		
	R43 - May cause sensitisation by skin contact.		
	R50 - Very toxic to aquatic organisms.		
	R68 - Possible risk of irreversible effects.		
Text of Hazard Statements in			
Section 3	STOT SE 3: H335 - May cause respiratory irritation. Skin Irrit. 2: H315 - Causes skin irritation.		
	Skin Init. 2. H313 - Causes skin Initation.		



Eye Irrit. 2: H319 - Causes serious eye irritation.

Revision 3

Revision date 2017-06-15

Other information				
	Acute Tox. 4: H302 - Harmful if swallowed.			
	Skin Sens. 1: H317 - May cause an allergic skin reaction.			
	Eye Dam. 1: H318 - Causes serious eye damage.			
	Muta. 2: H341 - Suspected of causing genetic defects .			
	Carc. 2: H351 - Suspected of causing cancer .			
	Aquatic Acute 1: H400 - Very toxic to aquatic life.			
	Acute Tox. 4: H332 - Harmful if inhaled.			
Further information				
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,			
	storage and handling of the product. This information is correct to the best of our knowledge and			
	belief at the date of publication however no guarantee is made to its accuracy. This information			
	relates only to the specific material designated and may not be valid for such material used in			
	combination with any other materials or in any other process.			

