

Page 1/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

· Article number: 951392 · Registration number

Registration numbers of the individual components: see section 3.2, if applicable.

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against -
- · Application of the substance / the preparation: Photographic bleaching bath
- · Uses advised against

Only for professional use.

Do not use for private purposes (household).

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FUJIFILM Belgium NV EUROPARK-NOORD 21-22 9100 SINT-NIKLAAS

BELGIUM

TEL: +32 3 760 02 00

- · Further information obtainable from: ehs@fujifilm.eu
- · 1.4 Emergency telephone number: +32 3 760 02 00 (office hour: 8u-16u30)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

glycollic acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Cont. on page 2)



Page 2/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 111687-36-6 ELINCS: 400-660-3	ferric ammonium PDTA Aquatic Chronic 2, H411	≥10-<15%
CAS: 12124-97-9 EINECS: 235-183-8 Reg.nr.: 01-2119931350-50-XXXX	ammonium bromide © Eye Irrit. 2, H319	≥5-<10%
CAS: 79-14-1 EINECS: 201-180-5 Reg.nr.: 01-2119485579-17-XXXX	glycollic acid Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H332	≥5-<10%
CAS: 6484-52-2 EINECS: 229-347-8 Reg.nr.: 01-2119490981-27-XXXX	ammonium nitrate Ox. Sol. 2, H272; Eye Irrit. 2, H319	3-7%
CAS: 64-19-7 EINECS: 200-580-7 Reg.nr.: 01-2119475328-30-XXXX	acetic acid Flam. Liq. 3, H226; Skin Corr. 1A, H314; Acute Tox. 4, H312	0.5-1.5%

- · SVHC Does not contain a SVHC according to REACH, Article 57
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Cont. on page 3)



Page 3/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · Storage class: 8 B

(Cont. on page 4)



Page 4/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

111687-36-6 ferric ammonium PDTA

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.



Protective gloves

Material of gloves

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

· As protection from splashes gloves made of the following materials are suitable:

For intermittent splash protection corresponding gloves with breaktrough time > 60 min. can be used.

- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye protection:



Safety glasses

The protective safety glasses to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN166.

(Cont. on page 5)



Page 5/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 4)

· Body protection: Protective work clothing

9.1 Information on basic physical and	chemical properties
General Information	chemical properties
Appearance:	
Form:	Liquid
Colour:	Amber coloured
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	4.9
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.198 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	1.24 %

- GB



Page 6/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No dangerous reactions known.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See "Fire Fighting measures".
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

79-14-1 glycollic acid

Oral LD50 | 1950 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

(Cont. on page 7)



Page 7/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 6)

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

Contact waste processors for recycling information.

· European waste catalogue	
09 00 00	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01 00	wastes from the photographic industry
09 01 05*	bleach solutions and bleach fixer solutions

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1760
· 14.2 UN proper shipping name	
· ADR	1760 CORROSIVE LIQUID, N.O.S. (FERRI AMMONIUM PDTA)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (FERRI
•	AMMONIUM PDTA)
· 14.3 Transport hazard class(es)	
· ADR	
· Class	8 Corrosive substances.



Page 8/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 7)

· IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group · ADR, IMDG, IATA

· ADR, IMIDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Danger code (Kemler):
EMS Number:
Stowage Category

80
F-A,S-B
A

• Stowage Code SW2 Clear of living quarters.

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000

mi 3

· IMDG

· Limited quantities (LQ) 5L

• Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000

mı

• UN 1760 CORROSIVE LIQUID, N.O.S. (FERRIC

AMMONIUM PDTA), 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I ammonium nitrate
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 65

(Cont. on page 9)



Page 9/9

Safety data sheet According to 1907/2006/EC, Article 31

Printing date 11.06.2018 Version number 2 Revision: 19.01.2018

Trade name: NEGACOLOR ULTRA BLEACH 3 REPLENISHER 2X10L

(Cont. from page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H272 May intensify fire; oxidiser.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Creation Date 23.07.2009

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3

Ox. Sol. 2: Oxidizing solids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data modified compared to previous version.