Page 1/6

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.11.2014 version no: 2 Revision: 04.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

. 1.1 Product identifier

. Trade name: (SB-50) Odourless Stop Bath

. Article number: 100142

. 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

. Application of the substance / the mixture Stabilizer bath for photographic use

. 1.3 Details of the supplier of the safety data sheet

. Manufacturer/Supplier:

Fotospeed (Jay House Ltd.)

Unit 6B, Park Lane Industrial Estate, Corsham, Wiltshire

**SN139LG** 

01249 714555

www.fotospeed.com; sales@fotospeed.com

. Further information obtainable from: sales@fotospeed.com

. 1.4 Emergency telephone number: 01249 714555

### **SECTION 2: Hazards identification**

- . 2.1 Classification of the substance or mixture
- . Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

Irritating to eyes.

. Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system:** 

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

. Hazard pictograms



GHS07

- . Signal word Warning
- . Hazard statements

H319 Causes serious eye irritation.

(Contd. on page 2)



for every print Page 2/6

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.11.2014 version no: 2 Revision: 04.11.2014

Trade name: (SB-50) Odourless Stop Bath

(Contd. of page 1)

. Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . **PBT:** Not applicable. . **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

. 3.2 Chemical characterisation: Mixtures

. **Description:** Mixture of substances listed below and with nonhazardous additions.

. Dangerous components:

CAS: 77-92-9 citric acid EINECS: 201-069-1 Reg.nr.: 01-2119457026-42 Xi R36 10-25% Eye Irrit. 2, H319

,

. **Additional information:** For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

- . 4.1 Description of first aid measures
- . After inhalation: Supply fresh air; consult doctor in case of complaints.
- . After skin contact: Immediately rinse with water.
- . After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

. 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- . 5.1 Extinguishing media
- . Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- . 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- . 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- . 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Page 3/6

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.11.2014 version no: 2 Revision: 04.11.2014

Trade name: (SB-50) Odourless Stop Bath

(Contd. of page 2)

#### . 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

### . 7.1 Precautions for safe handling

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

- . Information about fire and explosion protection: No special measures required.
- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.
- . Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

#### . Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Store under lock and key and out of the reach of children.

Recommended storage temperature: 5-25 °C

. 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- . Additional information about design of technical facilities: No further data; see item 7.
- . 8.1 Control parameters
- . Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- . Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- . Respiratory protection: Not required.
- . Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Nitrile rubber, NBR

Neoprene gloves

(Contd. on page 4)



Page 4/6

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.11.2014 version no: 2 Revision: 04.11.2014

Trade name: (SB-50) Odourless Stop Bath

(Contd. of page 3)

. Penetration time of glove material

Gove material breakthroug-time layer thickness
Butyl rubber: >480 min ≥0,4mm
Nitrile rubber: >480 min ≥0,38mm
Neoprene: >240 min >0,65mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection:



. Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

. 9.1 Information on basic physical and chemical properties

. General Information

. Appearance:

Form: Fluid
Colour: Orange
. Odour: Characteristic

. pH-value: Acidic

. Change in condition

**Melting point/Melting range:** Undetermined. **Boiling point/Boiling range:** > 100 °C

. Flash point: Not applicable.

. **Self-igniting:** Product is not selfigniting.

. **Danger of explosion:** Product does not present an explosion hazard.

. Vapour pressure at 20 °C: 23 hPa

. **Density at 20 °C:** 1.106 g/cm<sup>3</sup>

. Solubility in / Miscibility with

water: Fully miscible.

. Solvent content:

Organic solvents: 0.0 % Vater: 75.1 %

. **9.2 Other information** No further relevant information available.

### **SECTION 10: Stability and reactivity**

- . 10.1 Reactivity
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

### Fotospeed for every print

or every print Page 5/6

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.11.2014 version no: 2 Revision: 04.11.2014

Trade name: (SB-50) Odourless Stop Bath

. 10.6 Hazardous decomposition products: Irritant gases/vapours

(Contd. of page 4)

### **SECTION 11: Toxicological information**

- . 11.1 Information on toxicological effects
- . Acute toxicity:
- . Primary irritant effect:
- . on the skin: No irritant effect.
- . on the eye: Irritating effect.
- . Sensitisation: No sensitising effects known.
- . Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

### **SECTION 12: Ecological information**

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Additional ecological information:
- . General notes:

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- . 12.5 Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- . 13.1 Waste treatment methods
- . Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

. European waste catalogue

09 01 99 wastes not otherwise specified

- . Uncleaned packaging:
- . Recommendation: Disposal must be made according to official regulations.
- . **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information**

. 14.1 UN-Number

. ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)



Page 6/6

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.11.2014 Revision: 04.11.2014 version no: 2

Trade name: (SB-50) Odourless Stop Bath

		(Contd. of page
. 14.2 UN proper shipping name . ADR, ADN, IMDG, IATA	Void	
. 14.3 Transport hazard class(es)		
. ADR, ADN, IMDG, IATA . Class	Void	
. 14.4 Packing group . ADR, IMDG, IATA	Void	
. 14.5 Environmental hazards: . Marine pollutant:	No	
. 14.6 Special precautions for user	Not applicable.	
. 14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code	nex II of Not applicable.	
. UN "Model Regulation":	-	

### **SECTION 15: Regulatory information**

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- . 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H319 Causes serious eye irritation.

R36 Irritating to eyes.

- . Contact: e-mail: sales@fotospeed.com
- . Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

. \* Data compared to the previous version altered.