# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

| Product Name : # 924                           | 0 JOBO C-41 Color Negative Kit Fixer                        |  |
|--|---|--|
| Name of Manufacturer : JOBO International GmbH |   |  |
| Address :                                      | Kölner Straße 58a · 51645 Gummersbach Germany               |  |
| Name of Section :                              | Johannes Bockemuehl   |  |
| Phone Number :                                 | +49 (0) 2261 - 545-0  |  |
| MSDS No. :                                     | National emergency number (112 for most of EU. 911 for USA) |  |

# 2. Hazards identification

| Hazard class   | Hazard category | Route of exposure |
|----------------|-----------------|-------------------|
| Acute toxicity | Not Classified  | Oral              |

GHS-Labelling

Contains:

Ammonium thiosulfate (7783-18-8), Ammonium sulfite (10196-04-0)

Symbol(s):

Hazard statements: Harmful if swallowed.

Precautionary statements:

Prevention: Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

Other hazards which do not result in classification:

Dried product residue can act as a reducing agent.

# 3. Composition/information on ingredients

| Components - (CAS-No.)           | Weight percent |
|----------------------------------|----------------|
| Water (7732-18-5)                | 40-60          |
| Ammonium thiosulfate (7783-18-8) | 40-50          |
| Ammonium sulfite (10196-04-0)    | 1 – 10         |

# 4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms occur.

Eyes: Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur. If easy to do, remove contact lens, if worn.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Ingestion: If swallowed, DO NOT induce vomiting. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

#### **5. Firefighting measures**

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Flush with plenty of water.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, (see also Hazardous Decomposition Products sections.)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material. Collect in a noncombustible container for prompt disposal. Clean surface thoroughly to remove residual contamination.

Environmental precautions: Flush with plenty of water.

For Large Spills: Flush with plenty of water.

#### 7. Handling and storage

#### Precautions for safe handling

Personal precautions: Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities: Store in original container. Keep container tightly closed to prevent the loss of water. Keep away from incompatible substances (see Incompatibility section.)

## 8. Exposure controls/personal protection

Occupational exposure controls

| Chemical Name    | Regulatory List | Value Type            | Value             |
|------------------|-----------------|-----------------------|-------------------|
| Sodium bisulfite | ACGIH           | time weighted average | No data available |

Appropriate engineering controls: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Respiratory protection: None should be needed. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: acid gas If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

## 9. Physical and chemical properties

Physical form: liquid Color: light yellow Odor: Ammonia odor Specific gravity: 1.27 Vapour pressure: No data available Vapour density: No data available Boiling point/boiling range: > 100 °C (> 212.0 °F) Water solubility: complete pH: 6.6 Flash point: does not flash Evaporation rate: No data available Flammability (Solid; gas): No data available Upper explosion limit: No data available Lower explosion limit: No data available Partition coefficient: n-octanol/water: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: No data available Explosive properties: No data available Oxidizing properties: No data available

#### 10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions. Safe handling temperatures are dependent on specific conditions of use and are typically substantially below the onset temperature. Consult your technical safety experts.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Acids, Strong bases, sodium hypochlorite (bleach), Halogenated compounds, Oxidizing agents. Contact with strong acids liberates sulphur dioxide. Contact with sodium hypochlorite

(bleach) may form chloramine (toxic gas). Contact with base liberates flammable material. Contact with base liberates ammonia.

Hazardous decomposition products: Ammonia, chloramine, Sulphur oxides, Nitrogen oxides (NOx)

#### **<u>11. Toxicological information</u>**

#### Effects of Exposure

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: No specific hazard known. May cause transient irritation.

Skin: Expected to be a low hazard for recommended handling.

Ingestion: Harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Numerical measures of toxicity - Product Information Oral LD50 (rat): >2000mg/kg (ATEmix) ATE: Acute toxicity estimate

Data for Ammonium thiosulfate (CAS 7783-18-8): Acute Toxicity Data: Oral LD50 (male rat): 500 - 5,000 mg/kg Inhalation (rat): 2260 mg/m3 / 4 hr Eye irritation: none

## **<u>12. Ecological information</u>**

The following properties are ESTIMATED from the components of the preparations.

| Potential Toxicity:            |                            |
|--------------------------------|----------------------------|
| Toxicity to fish (LC50):       | No data available          |
| Toxicity to daphnia (EC50):    | No data available          |
| Toxicity to algae (IC50):      | No data available          |
| Persistence and degradability: | Not readily biodegradable. |
| Bioaccumulative potential      | No data available          |
| Mobility in soil               | No information available.  |

## **<u>13. Disposal considerations</u>**

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

## **<u>14. Transport information</u>**

Not regulated for all modes of transportation.

## **15. Regulatory information**

| Notification status    |                     |
|------------------------|---------------------|
| <b>Regulatory List</b> | Notification status |
| TSCA                   | Not all listed      |
| DSL                    | All listed          |
| NDSL                   | None listed         |
| EINECS                 | Not all listed      |
| ELINCS                 | None listed         |
| NLP                    | None listed         |
| AICS                   | All listed          |

| IECS  | All listed     |
|-------|----------------|
| ENCS  | Not all listed |
| ECI   | Not all listed |
| NZIoC | All listed     |
| PICCS | All listed     |

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements.

## 16. Other information

# 9240 JOBO C-41 Color Negative Kit Fixer Volume per unit : 525ml

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture. based on correct mixing and use of the product according to instructions.